

acetaminophen

Restricted Acetaminophen IV

Drug Name	Form	Strength
Acetaminophen	LIQUID, ORAL	160 mg/5 mL
Acetaminophen	LIQUID, ORAL	650 mg/20.3 mL
Ofirmev	SOLUTION, INTRAVENOUS	10 mg/mL
Feverall	SUPPOSITORY, RECTAL	80 mg
Acetaminophen	SUPPOSITORY, RECTAL	120 mg
FeverAll Jr. Strength	SUPPOSITORY, RECTAL	325 mg
Acetaminophen	SUPPOSITORY, RECTAL	650 mg
Acetaminophen	SUSPENSION, ORAL	160 mg/5 mL
Acetaminophen	SUSPENSION, ORAL	650 mg/20.3 mL
Mapap Rapid Tabs	TABLET, CHEWABLE, ORAL	80 mg
Children's Tylenol	TABLET, CHEWABLE, ORAL	160 mg
Acetaminophen Extended-Release	TABLET, EXTENDED RELEASE, ORAL	650 mg
Tylenol Regular Strength	TABLET, ORAL	325 mg
Tylenol Extra Strength	TABLET, ORAL	500 mg

Restriction:

- **Acetaminophen IV**

- This medication is restricted at **RMH1, RMH2, RMH3, RMH4, RMH5** and **RMH** to the local P&T Committee approved criteria for use listed below.

- **RMH1**
 - Hard stop at 24 hours
- **RMH2**
 - Hard stop at 24 hours
- **RMH3**
 - Post-Op orders are limited to a max of 2 doses
 - Prefer doses to be rounded to either 500 mg or 1000 mg
- **RMH4**
 - Pre-op, OR or PACU x 1 dose
 - ED for NPO for pain/fever
 - Outpatient for Radiology for biopsy pain
- **RMH5**
 - Restricted to pre-built order sets approved by P&T (Orthopedics, OB/GYN) and Pain Consults
 - Other orders to be auto-sub to 975 mg PO or 650 mg Rectal
 - If patient NPO/NPR - scheduled one-time doses are permitted
- **RMH**
 - Pain or fever reduction in patients who are NPO

Drug Name	Common Side Effects
acetaminophen	<ul style="list-style-type: none"> • GI: nausea, vomiting, constipation • agitation • itching