

warfarin

Drug Name	Form	Strength
Coumadin	TABLET, ORAL	1 mg (pink)
Coumadin	TABLET, ORAL	2 mg (lavender)
Coumadin	TABLET, ORAL	2.5 mg (green); 3 mg (tan)
Coumadin	TABLET, ORAL	4 mg (blue); 5 mg (peach)
Coumadin	TABLET, ORAL	6 mg (teal); 7.5 mg (yellow)
Coumadin	TABLET, ORAL	10 mg (white)
Jantoven		

VIEW MORE [Coumarin Derivatives](#)

CLASS >>>

Additional Information:

Drug Name	Common Side Effects
warfarin	<ul style="list-style-type: none">• bleeding or bruising• feeling tired or cold (less common)• minimize side effects with routine clinic visits

Patient education materials: [LH Intranet Materials](#)

Dosing Guidelines:

Adult Warfarin Collaborative Practice Protocol [900.6512](#)

Warfarin Collaborative Practice Pediatric Patient Protocol [912.6015](#)

Reversal Guidelines:

Adult: Reversal of warfarin: See [Reversal Guideline 900.5010](#)

Pediatric: Reversal of warfarin: See [Reversal Guideline 900.5866](#)

Other Guidelines:

Timing of Neuraxial Anesthesia and Anticoagulation: See [Guideline 900.5681](#)

Periprocedural Management of Anticoagulation therapy: See [Guideline 900.5011](#)