

# Pharmacy and Therapeutics Committee

June 12, 2024



# Prayer



# Approval of Minutes



# FMOLHS System P&T Committee

Class Reviews



# FMOLHS System P&T Recommendations:

## POLYMYXINS, INTRAVENOUS (8:12:28:28)

Colistimethate  
Polymyxin B

FORMULARY – *restricted to infectious diseases*

## ANESTHESIA GASES

Sevoflurane (Ultane®)  
Isoflurane (Florane®)  
Desflurane (Suprane®)

FORMULARY



# FMOLHS System P&T Recommendations:

POST-MENOPAUSAL OSTEOPOROSIS TREATMENTS, NON-BISPHOSPHONATES	
Raloxifene (Evista®)	FORMULARY
Denosumab (Prolia®)	FORMULARY - <i>restricted to outpatients.</i>
Romosozumab (Evenity®)	
Teriparatide (Forteo®)	NON-FORMULARY
Abaloparatide (Tymlos®)	
Bazedoxifene (Duavee®)	
OPIATE ANTAGONISTS (28:10)	
Naloxone injection	FORMULARY
Naltrexone tablets	
Naloxone nasal spray	FORMULARY - <i>restricted to outpatients.</i>
Naltrexone injection	
Nalmefene	NON-FORMULARY



# FMOLHS System P&T Recommendations:

<b>ANTIFUNGAL AGENTS, AZOLE DERIVATIVES (8:14.08)</b>	
Fluconazole (Diflucan®)	FORMULARY
Itraconazole (Sporanox®)	
Voriconazole (Vfend®)	
Posaconazole (Noxafil®)	FORMULARY – <i>restricted to Infectious Diseases or Oncology</i>
Isavuconazonium (Cresemba®)	FORMULARY – <i>restricted to Infectious Diseases</i>
Terconazole (Terazol®)	NON-FORMULARY
Oteseconazole (Vivjoa®)	

<b>Amphotericin B</b>	
Amphotericin B liposomal (AmBisome®)	FORMULARY
Amphotericin B conventional	
Amphotericin B lipid complex (Abelcet®)	NON-FORMULARY



# FMOLHS System P&T Recommendations:

GUANYLATE CYCLASE-C (GC-C) AGONISTS (56:92)	
Linaclotide (Linzess®)	FORMULARY - <i>restricted to continuation of home therapy and to GI practitioners</i>
Plecanatide (Trulance®)	NON-FORMULARY
CENTRAL ALPHA AGONISTS (24:08.16)	
Clonidine IR, patch, and injection Guanfacine IR Methyldopa	FORMULARY
Clonidine XR and guanfacine XR	FORMULARY - <i>restricted to pediatrics. Use to be evaluated in 1 year</i>



# FMOLHS System P&T Recommendations:

OXYTOCICS	
Carboprost (Hemabate®), dinoprostone (Cervidil®), methylergonovine, oxytocin (Pitocin®), misoprostol (Cytotec®)	FORMULARY
Dinoprostone (Prepdil) gel	NON-FORMULARY
PHOSPHODIESTERASE-3 ENZYME INHIBITORS	
Cilostazol, milrinone, and anagrelide	FORMULARY
OPHTHALMIC MYDRIATICS	
Atropine, cyclopentolate, phenylephrine, tropicamide, cyclopentolate/phenylephrine, and tropicamide/phenylephrine	FORMULARY
Homatropine	NON-FORMULARY



# FMOLHS System P&T Recommendations:

DOPAMINE (D2) AGONISTS, ERGOT-DERIVED	
Bromocriptine	FORMULARY
Cabergoline	FORMULARY – not stocked
OPHTHALMIC MIOTICS	
Acetylcholine and pilocarpine	FORMULARY
Carbachol	FORMULARY - <i>restricted to ocular surgeries</i>
Echothiophate iodide	NON-FORMULARY



# FMOLHS System P&T Recommendations:

COMPLEMENT INHIBITORS, C5 and C3 - (wording update)	
Eculizumab (Soliris®)	FORMULARY - restricted to <u>outpatient use (not preferred)</u> & <u>inpatient use for atypical hemolytic uremic syndrome</u>
Ravulizumab-cwvz (Ultomiris®)	FORMULARY - restricted to outpatient use (preferred).
Pegcetacoplan (Empaveli®) and Pozelimab-bbfg (Veopoz®)	NON-FORMULARY

SOMATOSTATIN ANALOGS	
Octreotide (Sandostatin®)	FORMULARY
octreotide acetate LAR (Sandostatin LAR®)	FORMULARY - restricted to outpatient use
lanreotide (Somatuline Depot®) pasireotide (Signifor LAR®)	NON-FORMULARY



# FMOLHS System P&T Committee

Automatic Interchange proposals



# Lourdes Health Thiamine IV -> PO

- Automatic conversion of thiamine IV to PO per protocol.



# FMOLHS ASP Stewardship Initiatives

- Cefdinir removal from formulary

	Cefdinir	Amoxicillin-clavulanate	Cefpodoxime
<b>Bioavailability</b>	16-21%	60%+	50%
<b>Protein binding</b>	60-70%	~25%	~20-30%
<b>Cost</b>	\$1.55/day	\$1.07/day	\$6.94/day



# FMOLHS ASP Stewardship Initiatives

## Cefdinir Therapeutic Interchange

Cefdinir						
Medication Ordered	Dosage form	Dose & Frequency	Formulary Medication	Dosage Form	Indication	Dose & Frequency
Cefdinir** (Omnicef®)	Capsule, Susp	300mg BID	Augmentin* 875-125	Tablet, Susp		1 tablet PO BID
			Cepodoxime (Vantin)	Tablet, Susp	UTI, pharyngitis	100 mg PO BID
					Pyelonephritis, Respiratory	200 mg BID
					Bacteremia, SSTI	400 mg BID

\*Note: If the patient is allergic to penicillin, then Cepodoxime (Vantin) would be the alternative

\*\*Note: Restricted to pediatric patients less than 2 months



# FMOLHS ASP Stewardship Initiatives

## Ophthalmic Antibiotics

Medication Ordered	Dosage form	Dose & Frequency	Formulary Medication	Dosage Form	Dose & Frequency
Ciprofloxacin 0.3%	Ophthalmic ointment	Any	Erythromycin 0.5%	Ophthalmic ointment	Same as ordered
Ciprofloxacin 0.3%	Ophthalmic solution	Any	Ofloxacin 0.3%	Ophthalmic solution	Same as ordered
Gatifloxacin 0.5%					
Levofloxacin 0.5%					
Levofloxacin 1.5%					
Moxifloxacin 0.5%*		1 drop BID-TID			1-2 drops QID

**\*Note:** Vigamox (moxifloxacin) will be formulary restricted to retinopathy of prematurity and surgery settings



# FMOLHS System P&T Committee

Consent Agenda Class Review  
Recommendations Summary



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

PERIPHERALLY-ACTING MU OPIOID RECEPTOR ANTAGONISTS (PAMORA)	
alvimopan (Entereg®)	FORMULARY
methylnaltrexone (Relistor®)	FORMULARY – <i>restricted to palliative care, oncology, failure of ≥ 2 other laxatives</i>
naloxegol (Movantik®)	FORMULARY - <i>restricted to failure of ≥ 2 other laxatives</i>
naldemedine (Symproic®)	NON-FORMULARY
PULMONARY SURFACTANTS	
Poractant alfa (Curosurf®)	FORMULARY
Calfactant (Infasurf®), Surnavanta (Survanta®)	NON-FORMULARY



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

SELECTIVE SEROTONIN AGONISTS	
Sumatriptan	FORMULARY
Almotriptan, eletriptan, naratriptan, rizatriptan, zolmitriptan, & sumatriptan/naproxen	NON-FORMULARY

Fibric Acid Derivatives	
Fenofibrate (Tricor)	FORMULARY
Gemfibrozil	
Fenofibrate (Antara), fenofibrate (Lofibra), & fenofibrate (Trilipix)	NON-FORMULARY



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

CEPHALOSPORINS	
Cefazolin, cephalexin, cefuroxime axetil, cefuroxime sodium, cefoxitin, ceftriaxone, <b>cefpodoxime (new)</b> , cefepime	FORMULARY
Cefdinir	FORMULARY – <i>restricted to patients &lt; 2 months of age</i>
Ceftazidime	FORMULARY – <del>restricted to the pediatric, nephrology, ID specialties</del>
Ceftaroline	FORMULARY – <i>restricted to ID</i>
Cefiderocol	FORMULARY - <i>restricted to use in multi-drug resistant organisms with the restriction to ordering by infectious disease providers</i>
Cefadroxil, cefaclor, cefotaxime, cefopexime, cefixime	NON-FORMULARY



# FMOLHS ASP Stewardship Initiatives

## Consent Agenda Class Reviews

<b>PENICILLINS</b>	Penicillin GK, <b>penicillin G Na (not included in original review)</b> , penicillin VK, penicillin G benzathine (Bicillin LA), penicillin benzathine/procaine (Bicillin CR), amoxicillin, amoxicillin/clavulanate, ampicillin, ampicillin/sulbactam, oxacillin, dicloxacillin, and piperacillin/tazobactam  Nafcillin & ticarcillin/clavulanate	FORMULARY  NON-FORMULARY (with therapeutic subs)
<b>AMINOGLYCOSIDES</b>	Amikacin, gentamicin, neomycin, tobramycin	FORMULARY



# FMOLHS ASP Stewardship Initiatives

## Consent Agenda Class Reviews

FLUOROQUINOLONES	
Ciprofloxacin, levofloxacin	FORMULARY
Moxifloxacin	FORMULARY – <i>restricted to non-tuberculosis mycobacterium indications</i>
CARBAPENEMS	
Meropenem, ertapenem	FORMULARY – <i>restricted to infectious diseases</i>
Imipenem/cilastatin, imipenem/cilastatin/relebactam	NON-FORMULARY – (with therapeutic substitutions)
Meropenem/vaborbactam	NON-FORMULARY



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

MAGNESIUM REPLACEMENT AGENTS	
Magnesium sulfate injection	FORMULARY
Magnesium oxide tablets	FORMULARY
Magnesium chloride magnesium gluconate magnesium lactate magnesium carbonate	NON-FORMULARY



# FMOLHS System P&T

## Consent Agenda Class Review Recommendations Summary

PHOSPHATE BINDERS	
Sevelamer carbonate oral tablets	FORMULARY
Sevelamer carbonate powder packets	FORMULARY - reserved for patients requiring their medications to be crushed and pediatrics
Calcium acetate (PhosLo)	FORMULARY - restricted to pts taking prior to admission and patients post-thyroidectomy
Calcium carbonate tablets	FORMULARY
Calcium carbonate oral solution	FORMULARY - restricted to pediatrics
Sevelamer hydrochloride, lanthanum, ferric citrate, sucroferric oxyhydroxide, calcium acetate (liquid)	NON-FORMULARY



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

IRON REPLACEMENT AGENTS, ORAL	
Ferrous sulfate tablets, enteric coated tablets, and suspension oral liquid	FORMULARY
Ferrous sulfate extended-release tablets	
Ferrous gluconate	
Ferrous fumarate	NON-FORMULARY
Iron polysaccharide complex	
Ferric maltose	
Ferric citrate	SEE PHOSPHATE BINDERS CLASS REVIEW



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIs)	
Sertraline, citalopram, escitalopram, fluoxetine, fluvoxamine, paroxetine	FORMULARY
Fluoxetine DR, fluvoxamine ER, and paroxetine ER	NON-FORMULARY
SELECTIVE SEROTONIN AND NOREPINEPHRINE REUPTAKE INHIBITORS	
Venlafaxine, venlafaxine XR, duloxetine	FORMULARY
Desvenlafaxine (Pristiq)	FORMULARY – <i>not stocked</i>
Levomilnacipran (Fetzima), milnacipran (Savella)	NON-FORMULARY



# FMOLHS System P&T

## Consent Agenda Class Review Recommendations Summary

5-ASA DERIVATIVES	
Pentasa (Mesalamine), Lialda (Mesalamine) , Delzicol (Mesalamine), sulfasalazine, Canasa (Mesalamine) & Rowasa (Mesalamine)	FORMULARY
Apriso (Mesalamine), Asacol HD (Mesalamine), Balsalazide, & Olsalazine	NON-FORMULARY
PROSTACYCLINS	
Veletri (epoprostenol)	FORMULARY
Folan (epoprostenol Sodium)	NON-FORMULARY
POTASSIUM REMOVING AGENTS	
Sodium-zirconium cycloilicate (Lokelma®)	FORMULARY
Sodium polysterene sulfonate	FORMULARY- <i>restricted to NPO usage &amp; pediatrics.</i>
Patiromer	FORMULARY – <i>restricted to patients with CHF</i>



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

Error in slide;  
cefiderocol is  
formulary,  
restricted to ID  
(Corrected 8/7/24)

ANTI-MRSA ANTIBIOTICS	
Vancomycin, fosfomycin	FORMULARY
Ceftaroline, daptomycin, linezolid	FORMULARY - <i>restricted to infectious disease</i>
Dalbavancin	FORMULARY - <i>restricted to outpatient</i>
Cefiderocol, oritavancin, telavancin, tedizolid, and quinupristin/dalfopristin	NON-FORMULARY

TETRACYCLINES	
Doxycycline, minocycline (PO)	FORMULARY
Tigecycline & eravacycline	FORMULARY - <i>restricted to infectious disease</i>
Tetracycline, minocycline (IV), and omadacycline	NON-FORMULARY

MONOBACTAM	
aztreonam	FORMULARY



# FMOLHS System P&T Consent Agenda Class Review Recommendations Summary

## SULFONAMIDES

Trimethoprim sulfamethoxazole and trimethoprim

FORMULARY

## LINCOSAMIDE

Clindamycin

FORMULARY

## MACROLIDES

Erythromycin, clarithromycin, azithromycin

FORMULARY

fidaxomicin

FORMULARY - *restricted to infectious disease*

## NITROIMIDIAZOLES

Metronidazole

FORMULARY



# Our Lady of Lourdes P&T

## Therapeutic interchanges: Inhalers to Nebs

Combo Therapy (ICS/LABA)				
Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose	Frequency
Fluticasone propionate /Salmeterol (AirDuo Digihaler) Inhalation Powder	<b>55mcg/14mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>113mcg/14mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>232mcg/14mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID
Fluticasone propionate/salmeterol (Wixela®, Advair Diskus®) Inhalation Powder	<b>100mcg/50mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>250mcg/50mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID
	<b>500mcg/50mcg</b> 1 inhalation BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	2 nebulizations (1mg)	BID



# Our Lady of Lourdes P&T

## Therapeutic interchanges: Inhalers to Nebs

Combo Therapy (ICS/LABA)				
Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose	Frequency
Budesonide/formoterol fumarate (Breyna®, Symbicort®) Aerosol Inhaler	<b>80mcg/4.5mcg</b> 2 inhalations BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>160mcg/4.5mcg</b> 2 inhalations BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID
Mometasone/Formoterol (Dulera®) Aerosol Inhaler	<b>50mcg/5mcg</b> 2 inhalations BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>100mcg/5mcg</b> 2 inhalations BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>200mcg/5mcg</b> 2 inhalations BID	Albuterol 2.5mg Neb	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID



# Our Lady of Lourdes P&T

## Therapeutic interchanges: Inhalers to Nebs

Combo Therapy (LABA/LAMA)				
Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose	Frequency
Glycopyrrolate/Formoterol fumarate (Bevespi Aerosphere®) Inhalation Aerosol	<b>9mcg/4.8mcg</b> 2 inhalations BID	Albuterol/Ipratropium (DuoNeb) 2.5mg/0.5mg	1 nebulization	QID
Aclidinium bromide/formoterol (Duaklir Pressair®) Inhalation Powder	<b>400mcg/12mcg</b> 1 inhalation BID			
Indacaterol/Glycopyrrolate (Utibron Neohaler®) Inhalation Capsule	<b>27.5mcg/15.6mcg</b> 1 inhalation BID			
Tiotropium/Olodaterol (Spiolto Respimat®) Aerosol Inhaler	<b>2.5mcg/2.5mcg</b> 2 inhalations Daily			
Umeclidinium/Vilanterol (Anoro Ellipta®) Aerosol Powder	<b>62.5 mcg/25 mcg</b> 1 inhalation Daily			



# Our Lady of Lourdes P&T

## Therapeutic interchanges: Inhalers to Nebs

### ICS/LAMA/LABA (Combo Therapy)

Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose	Frequency
Fluticasone furoate/ umeclidinium/vilanterol (Trelegy Ellipta®) Inhalation Powder	<b>100mcg/62.5mcg/25 mcg</b> 1 inhalation Daily	Albuterol/Ipratropium (DuoNeb) 2.5mg/0.5mg	1 nebulization	QID
		Budesonide <b>0.25mg</b> Neb	1 nebulization	BID
	<b>200mcg/62.5mcg/25 mcg</b> 1 inhalation Daily	Albuterol/Ipratropium (DuoNeb) 2.5mg/0.5mg	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID
Budesonide/Glycopyrrolate/ Formoterol fumarate (Breztri Aerosphere®) Inhalation Powder	<b>182mcg/10.4mcg/5.5mcg</b> 2 inhalations BID	Albuterol/Ipratropium (DuoNeb) 2.5mg/0.5mg	1 nebulization	QID
		Budesonide <b>0.5mg</b> Neb	1 nebulization	BID



# Our Lady of Lourdes P&T

## Therapeutic interchanges: Inhalers to Nebs

### Long-Acting Anticholinergic Agent

Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose
Umeclidinium (Incruse Ellipta®) Aerosol Powder	62.5mcg - 1 inhalations Daily	Ipratropium 0.5mg Neb	1 nebulization QID
Reverfenacin (Yuprelri®) Inhalation Solution	175mcg/3mL Daily		
Aclidinium (Tudorza Pressair®) Aerosol Inhaler	400mcg - 1 inhalation BID		
Tiotropium (Spiriva HandiHaler®) Inhalation Capsule	18mcg/1 capsule inhalation Daily		

### Selective B2 Adrenergic Agonist

Medication Ordered	Strength & Dose	Formulary Medication	Equivalent Dose
Indacaterol (Arcapta Neohaler®) Inhalation Capsule	75mcg/1 capsule inhalation Daily	Albuterol 2.5mg Neb	1 nebulization QID
Formoterol Fumarate (Perforomist®) Nebulization Solution	20mcg/2mL inhalation BID		
Formoterol (Foradil Aerolizer®) Inhalation Capsule	12mcg/capsule 1-2 capsules inhalation BID		
Olodaterol (Striverdi Respimat®) Aerosol Inhaler	2.5mcg/actuation 2 inhalations daily		



# FMOLHS System P&T Committee


Antimicrobial Stewardship



# Antimicrobial Usage – LOLR


## Cardinal DCOA

Antibiotic Total DOT/1000 pt day trend





# Antimicrobial Usage – LOLR

## Cardinal DCOA



# Antimicrobial Usage – LOLR


## Cardinal DCOA



# Antimicrobial Usage – LOWC


## Cardinal DCOA

Antibiotic Total DOT/1000 pt day trend






# Antimicrobial Usage – LOWC

## Cardinal DCOA



# Antimicrobial Usage – LOWC Cardinal DCOA

DOT/1000 days



# **Misoprostol Policy and Oxytocin Induction & Augmentation Policy**

## **Review and approval**

