Ochsner Health System			
Operational Standard			
SUBJECT:	Rapid Sequence Intubation (RSI) Kit Management - Pediatric		
ISSUE DATE:	April 21, 2021		
EFFECTIVE DATE:			
RESPONSIBLE DEPARTMENT:	Pharmacy		
OPERATIONAL STANDARD NUMBER:	OHS.PHARM. OS.056		

# I. Purpose

To outline the procedure for management of medications in Automated Dispensing Cabinets utilized for Rapid Sequence Intubating Kits for pediatrics.

# II. Scope

This operational standard applies to (i) Ochsner Health, (ii) Ochsner Clinic Foundation, and/or (iii) all facilities and entities wholly owned and /or leased by Ochsner Clinic Foundation ("Ochsner").

## III. Definitions

- A. <u>Virtual Kit:</u> A set of facility formulary items that provide user with a quick method of removing a group of items commonly used together, which may or may not be on override.
- **B.** <u>Standard Stock:</u> A status given to medications loaded into the automated dispensing cabinet. This status ensures that the medication cannot be moved around or removed from the machine, if stocked.
- **C.** <u>Automated Dispensing Cabinet:</u> A computerized drug storage device or cabinet.
- IV. Standard: Automated dispensing cabinets containing the virtual Pediatric RSI kit will be in critical care pediatric inpatient units; peri-operative areas, and emergency departments. Areas outside of the mentioned areas must be approved by the Director of Pharmacy. Inpatient pharmacy staff will be responsible for the quality assurance of the virtual Peds RSI kit built in the automated dispensing cabinets for Ochsner Health.

#### V. Procedure

- A. Virtual Pediatric RSI Kits include the following five medications
  - i. Fentanyl 10mcg/mL (1mL) Syringe Med ID: 14380 (optional to stock)
  - ii. Fentanyl 50mcg/mL (2ml) Vial Med ID: 2406
  - iii. Propofol 10mg/mL (20ml) Vial Med ID: 1139
  - iv. Midazolam 1mg/mL (2ml) Vial Med ID: 581
  - v. Atropine 1mg/10mL (10mL) Syringe Med ID: 629
  - vi. Rocuronium 10mg/mL (5mL) Vial Med ID: 400
- B. Fentanyl 10mcg/ml (1ml) Syringe is optional to stock and is at local site discretion. Sites choosing not to stock the optional syringe must contact the System Pyxis Administrator to remove this item as a component of site's virtual Pediatric RSI Kit.
- C. All medications in the RSI Kit MUST be loaded as Standard Stock to ensure each kit remains intact for emergency use. Under no circumstances are these medications to be changed from Standard Stock.
- D. Rocuronium MUST be stored in locked lidded cubie / pocket and be labeled with pharmacy standard "Paralytic Agent" sticker to allow for proper identification. If refrigerated storage with lock lidded cubie / pockets is not available, the medication should be stored at room temperature with appropriate BUD.
- E. If multiple automated dispensing cabinets on a unit, but not all cabinets have the Peds RSI kit, each automated dispensing cabinet with a virtual Pediatric RSI Kit will be labeled with a sticker that states "Pediatric RSI Kit".
- F. All medications remain under Standard Stock status
- G. Utilize the following steps to access the virtual Pediatric RSI Kits at the Automated Dispensing Cabinet:
  - i. From the Home screen, select All Available Patients or My Patients
  - ii. Select the patient and select Remove.
  - iii. On the Med Profile Screen, select System Kits.
  - iv. The system displays all System Kits, Select RSI Kit Peds
  - v. The medications are moved to the Selected Meds column. If you decide to not remove an item, select the **X** next to the medication.
  - vi. Select Remove med.
  - vii. Remove the first medication. Select **Accept** and / or secure the storage space. Repeat until all medications have been removed.
- H. To cancel a transaction:
  - i. Select **Cancel Med** to cancel the removal of an individual medication.
  - ii. Select Cancel All to abort the entire transaction.

### VI. Enforcement [REQUIRED]

Failure to comply with this operational standard may result in progressive discipline for employees or termination of contract or service for third-party personnel, students, or volunteers.

### VII. Attachments

# VIII. References

- a. OHS.PHARM.010 Pyxis policy
- IX. History
- X. Approved [REQUIRED]

[ENTER Respon	sible Department/D	ivision Leader Nam	e, Title]

# **Reviewers**

Operational Standards are required to be reviewed, at a minimum, by:

- A direct report of any Responsible Department Department/Division Leader approver; and
- Any subject matter experts

Reviewer	Title	Date of Last Review
Jason Chou	System Operations Pharmacy	02/22/22
Catherine Oliver	System Clinical Pharmacy	9-12-19
Paul Menasco	DOP System Policy Committee	3/03/22
Debbie Simonson	DOP	04/01/22
System P&T	System P&T	04/20/22